

Notes 7: TV Denoising and Deconvolution

Guy Gilboa

1 TV Denoising

Model:

$$f = g + n,$$

where g is the clean image, n is random additive noise and f is the input image. The noise model is often white Gaussian noise with standard deviation σ .

There are two energy minimization formulations to solve this (which can be tuned to coincide). The first one is the unconstrained problem with a total energy based on a smoothness and a fidelity term:

$$E(u, f) = J_{TV}(u) + \lambda \|f - u\|_{L^2}^2, \quad (1)$$

where $J_{TV}(u) = \int_{\Omega} |\nabla u(x)| dx$ and the solution is u which minimizes the above energy. There is one degree of freedom - the value of λ . Usually this is selected in relation to the expected or known standard deviation of the noise. We can denote $v = f - u$ and require $\hat{\text{var}}(v) = \text{var}(n)$, where $\text{var}()$ is the true variance, $\text{var}(n) = \sigma^2$, and $\hat{\text{var}}()$ is the empirical variance:

$$\hat{\text{var}}(q) = \frac{1}{|\Omega|} \int_{\Omega} (q(x) - \bar{q})^2 dx,$$

where $\bar{q} \equiv \frac{1}{|\Omega|} \int_{\Omega} q(x) dx$ is the mean value of q and $|\Omega|$ is the area of the domain. As $f = \bar{u}$ we have $\bar{v} = 0$ and

$$\hat{\text{var}}(v) = \frac{1}{|\Omega|} \|v\|_{L^2}^2 = \frac{1}{|\Omega|} \|f - u\|_{L^2}^2.$$

As we expect v to contain mostly noise, this estimation is quite reasonable (although not optimal, in the SNR sense, in most cases, see [5]).

One can formulate this also as a constrained minimization problem:

$$\begin{aligned} \min_u \{J_{TV}(u)\} & \quad \text{subject to} \\ \int_{\Omega} (u(x) - f(x))^2 dx & = |\Omega|\sigma^2. \end{aligned} \quad (2)$$

We can use the technique of Lagrange multipliers. The functional is defined as:

$$F(u, \lambda) = J_{TV}(u) + \lambda (\|u - f\|_{L^2}^2 - |\Omega|\sigma^2).$$

A steady-state is reached for:

$$\begin{aligned} (i) \quad \partial_u F & = -\operatorname{div} \left(\frac{\nabla u}{|\nabla u|} \right) + 2\lambda(u - f) = 0, \\ (ii) \quad \partial_{\lambda} F & = \|u - f\|_{L^2}^2 - |\Omega|\sigma^2 = 0. \end{aligned} \quad (3)$$

For this convex problem one can do the following iterations:

1. Pick some value λ (e.g. $\lambda = \frac{1}{2}$). Initialize $u(t=0) = f$.
2. Following Eq. (3).(i), evolve until convergence the descent flow:

$$u_t = \operatorname{div} \left(\frac{\nabla u}{|\nabla u|} \right) + 2\lambda(f - u).$$

3. Update λ by

$$\lambda = \frac{1}{2|\Omega|\sigma^2} \int_{\Omega} \operatorname{div} \left(\frac{\nabla u}{|\nabla u|} \right) (u - f) dx. \quad (4)$$

4. Repeat Steps 2 and 3 until λ converges.

The update of λ in Eq. (4) is reached by multiplying (3).(i) by $(u-f)$, integrating over Ω and using (3).(ii).

Remark: In practice, often one does not need to converge in Step 2, a few numerical iterations can suffice before updating λ .

See more detailed theoretical analysis in [7, 2]. For a spatially varying constrained formulation see [6]. In the implementation, the TV term is often replaced by its epsilon approximation.

2 Deconvolution

Model:

$$f = g * H + n,$$

where H is a *known* blurring kernel and $*$ denotes convolution.

The fidelity term changes and we minimize the following energy:

$$E(u, f) = J_{TV}(u) + \lambda \|f - u * H\|_{L^2}^2, \quad (5)$$

The corresponding constrained problem is

$$\begin{aligned} \min_u \{J_{TV}(u)\} & \quad \text{subject to} \\ \int_{\Omega} (u(x) * H(x) - f(x))^2 dx & = |\Omega| \sigma^2. \end{aligned} \quad (6)$$

The Lagrange multiplier formulation is

$$F(u, \lambda) = J_{TV}(u) + \lambda (\|u * H - f\|_{L^2}^2 - |\Omega| \sigma^2).$$

A steady-state is reached for:

$$\begin{aligned} (i) \quad \partial_u F & = -\operatorname{div} \left(\frac{\nabla u}{|\nabla u|} \right) + 2\lambda \hat{H} * (u * H - f) = 0, \\ (ii) \quad \partial_{\lambda} F & = \|u * H - f\|_{L^2}^2 - |\Omega| \sigma^2 = 0, \end{aligned} \quad (7)$$

where $\hat{H}(x) = H(-x)$. Similar alternating iterations as described above can be used here also to get the correct λ for a given noise variance.

3 Blind Deconvolution

Model:

$$f = g * H + n,$$

where H is an *unknown blurring kernel* that we need to estimate in addition to the deblurred image u .

We follow the paper of Chan and Wong [3]. The assumption is that also the blur kernel is smooth, in the TV sense. Therefore a joint minimization is done with respect to both the deblurred image u and the kernel H :

$$E(u, H, f) = J_{TV}(u) + \alpha J_{TV}(H) + \lambda \|f - u * H\|_{L^2}^2. \quad (8)$$

The basic principle for solving this problem is to use an alternating minimization algorithm where one assumes u is known, solves for H . Then uses the solution found for H and solves for u . These steps are alternated until convergence.

The Euler-Lagrange with respect to each variable are:

$$\begin{aligned} \partial_u E(u, H, f) & = -\operatorname{div} \left(\frac{\nabla u}{|\nabla u|} \right) + 2\lambda \hat{H} * (u * H - f) = 0, \\ \partial_H E(u, H, f) & = -\alpha \operatorname{div} \left(\frac{\nabla H}{|\nabla H|} \right) + 2\lambda \hat{u} * (u * H - f) = 0, \end{aligned} \quad (9)$$

where $\hat{u}(x) = u(-x)$.

This problem can have multiple possible solutions. To increase robustness and regularity of the solution, the following assumptions were made in addition in [3]:

$$\begin{aligned} (i) \quad & \int_{\Omega} H(x) dx = 1, \\ (ii) \quad & u(x) \geq 0; H(x) \geq 0, \\ (iii) \quad & H(x) = H(-x). \end{aligned} \tag{10}$$

The algorithm for solving the problem is:

1. Start with $u^0(x) = f(x)$, $H^0(x) = \delta(x)$. Set $n = 1$.
2. To find H^n , fix $u = u^{n-1}$ and minimize Eq. (8) with respect to H .
3. Impose on H^n :
 - (a) $H^n(x) = H^n(x)$ for $x \geq 0$ and 0 otherwise.
 - (b) $H^n(x) = (H^n(x) + H^n(-x))/2$.
 - (c) $H^n(x) = H^n(x)/\bar{H}$, where $\bar{H} = \int_{\Omega} H^n(x) dx$.
4. Solve for u^n by fixing $H = H^n$ and minimize Eq. (8) with respect to u .
5. Impose: $u^n(x) = u^n(x)$ for $x \geq 0$ and 0 otherwise.
6. Repeat steps 2-5 until convergence.

4 Numerics for solving TV

Recent sophisticated numerical schemes to solve TV efficiently will be presented in the next lesson. We describe below three more classical methods: the simplest explicit method, Vogel-Oman lagged diffusivity [8] and Chambolle's projection [1]. We begin by defining discrete gradient and divergence operators in 2D (using the notations of [1]). We assume a $N \times N$ pixel grid with indices $i, j = 1, \dots, N$ specifying the row and column.

Gradient: Let the discrete gradient for pixel i, j be defined as:

$$(\nabla u)_{i,j} := ((\nabla u)_{i,j}^1, (\nabla u)_{i,j}^2), \tag{11}$$

where

$$\begin{aligned} (\nabla u)_{i,j}^1 &:= \begin{cases} u_{i+1,j} - u_{i,j}, & \text{if } i < N, \\ 0, & \text{if } i = N, \end{cases} \\ (\nabla u)_{i,j}^2 &:= \begin{cases} u_{i,j+1} - u_{i,j}, & \text{if } j < N, \\ 0, & \text{if } j = N, \end{cases} \end{aligned} \tag{12}$$

Divergence: Let a vector p be defined as $p = (p^1, p^2)$ (where p^k is a discrete 2D image). The discrete divergence is

$$(\operatorname{div} p)_{i,j} = \begin{cases} p_{i,j}^1 - p_{i-1,j}^1, & \text{if } 1 < i < N, \\ p_{i,j}^1, & \text{if } i = 1, \\ -p_{i-1,j}^1, & \text{if } i = N, \end{cases} + \begin{cases} p_{i,j}^2 - p_{i,j-1}^2, & \text{if } 1 < j < N, \\ p_{i,j}^2, & \text{if } j = 1, \\ -p_{i,j-1}^2, & \text{if } j = N. \end{cases} \quad (13)$$

This divergence definition admits an adjoint relation with the gradient defined above: $\langle -\operatorname{div} p, u \rangle = \langle p, \nabla u \rangle$.

4.1 Explicit method

Approximates $J_{TV-\varepsilon}(u) + \lambda \|f - u\|_{L^2}^2$. Let

$$F(u) = \operatorname{div} \left(\frac{\nabla u}{\sqrt{|\nabla u|^2 + \varepsilon^2}} \right) + 2\lambda(f - u), \quad (14)$$

where ∇ , and div are the discrete operators defined in Eqs. (11), (13), respectively. Δt is bounded by the CFL condition.

Algorithm: initialize with $u^0 = f$, set $n = 0$. Evolve until convergence:

$$u^{n+1} = u^n + \Delta t F(u^n).$$

4.2 Lagged diffusivity

Approximates $J_{TV-\varepsilon}(u) + \lambda \|f - u\|_{L^2}^2$.

We write the Euler-Lagrange equation:

$$\operatorname{div} \left(\frac{\nabla u}{\sqrt{|\nabla u|^2 + \varepsilon^2}} \right) + 2\lambda(f - u) = 0.$$

We assume to have a previous value u^n (initializing with $u_0 = f$) and compute a new u^{n+1} . We can fix the diffusivity and define the following linear operator, which operates on v :

$$L_u v = \operatorname{div} \left(\frac{\nabla v}{\sqrt{|\nabla u|^2 + \varepsilon^2}} \right).$$

Using the E-L equation, changing order of variables, constructing L_{u^n} based on the previous iteration and dividing by 2λ we get

$$\left(1 - \frac{1}{2\lambda} L_{u^n}\right) u^{n+1} = f. \quad (15)$$

Thus we have to solve a linear system of equations. The system is very sparse and there are several efficient ways to solve this. See more details in [8, 4].

References

- [1] A. Chambolle. An algorithm for total variation minimization and applications. *JMIV*, 20:89–97, 2004.
- [2] A. Chambolle and P.L. Lions. Image recovery via total variation minimization and related problems. *Numerische Mathematik*, 76(3):167–188, 1997.
- [3] T.F. Chan and C.-K. Wong. Total variation blind deconvolution. *Image Processing, IEEE Transactions on*, 7(3):370–375, 1998.
- [4] Tony F Chan and Pep Mulet. On the convergence of the lagged diffusivity fixed point method in total variation image restoration. *SIAM journal on numerical analysis*, 36(2):354–367, 1999.
- [5] G. Gilboa, N. Sochen, and Y.Y. Zeevi. Estimation of optimal PDE-based denoising in the SNR sense. *IEEE Trans. on Image Processing*, 15(8):2269–2280, 2006.
- [6] G. Gilboa, N. Sochen, and Y.Y. Zeevi. Variational denoising of partly-textured images by spatially varying constraints. *IEEE Trans. on Image Processing*, 15(8):2280–2289, 2006.
- [7] L. Rudin, S. Osher, and E. Fatemi. Nonlinear total variation based noise removal algorithms. *Physica D*, 60:259–268, 1992.
- [8] R.V. Vogel and M.E. Oman. Iterative methods for total variation denoising. *SIAM J. Scientific Computing*, 17(1):227–238, 1996.